



# Brentwood Series

## Lounge Seating




	List Prices				Sq.-Ft.	Yards	Dimensions				
<b>Brentwood 5012-30</b> plain back											
	COM	1465	Grade J	1960	Leather V	3195	54	3	OH	34	AH
	COL	1655	Grade K	1990	Edel 1	2815			OW	25½	WBA
	Grade AA	1620	Grade L	2025	Edel 2	2965			OD	28½	DED
	Grade A	1660	Grade M	2060	Edel 3	3205			SH	18½	DEW
	Grade B	1700	Grade N	2110	Edel 4	3265			SD	20½	R
	Grade C	1740	Grade P	2150	Edel 5	3565					
	Grade D	1770	Grade Q	2190	Edel 6	3685					
	Grade E	1805	Leather I	2135	Edel 7	4045					Weight 54
	Grade F	1845	Leather II	2580	Edel 12	6385					
	Grade G	1880	Leather III	2685							
Grade H	1925	Leather IV	2785								
Maple, armless, standard with welt.											
(Content 2% post-consumer, 30% pre-consumer) GREENGUARD INDOOR AIR QUALITY CERTIFIED*											
<b>Brentwood 5012-32</b> "X" back with button											
<b>Brentwood 5012-33</b> contrast "X" back with contrast button											
	COM	1495	Grade J	1990	Leather V	3225	54	3	OH	34	AH
	COL	1685	Grade K	2020	Edel 1	2845			OW	25½	WBA
	Grade AA	1650	Grade L	2055	Edel 2	2995			OD	28½	DED
	Grade A	1690	Grade M	2090	Edel 3	3235			SH	18½	DEW
	Grade B	1730	Grade N	2140	Edel 4	3295			SD	20½	R
	Grade C	1770	Grade P	2180	Edel 5	3595					
	Grade D	1800	Grade Q	2220	Edel 6	3715					
	Grade E	1835	Leather I	2165	Edel 7	4075					Weight 54
	Grade F	1875	Leather II	2610	Edel 12	6415					
	Grade G	1910	Leather III	2715							
Grade H	1955	Leather IV	2815								
Maple, armless, contrast fabric is left and right of "X", button also contrast; requires 3/4 yard or 18 sq. ft. leather, standard with welt.											
(Content 2% post-consumer, 30% pre-consumer) GREENGUARD INDOOR AIR QUALITY CERTIFIED*											




# Brentwood Series


## Lounge Seating

	List Prices				Sq.Ft.	Yards	Dimensions			
<b>Brentwood 5013-30</b>	plain back									
	COM	1945	Grade J	2765	Leather V	4825	90	5	OH 34	AH
	COL	2220	Grade K	2825	Edel 1	4195			OW 52½	WBA
	Grade AA	2200	Grade L	2880	Edel 2	4445			OD 28½	DED
	Grade A	2275	Grade M	2935	Edel 3	4845			SH 18½	DEW
	Grade B	2335	Grade N	3015	Edel 4	4945			SD 20½	R
	Grade C	2400	Grade P	3090	Edel 5	5445				
	Grade D	2455	Grade Q	3155	Edel 6	5645				
	Grade E	2510	Leather I	3065	Edel 7	6245				Weight 82
	Grade F	2580	Leather II	3805	Edel 12	10145				
	Grade G	2635	Leather III	3975						
	Grade H	2710	Leather IV	4145						
(Content 2% post-consumer, 0% pre-consumer) GREENGUARD INDOOR AIR QUALITY CERTIFIED*										


Maple, armless, standard with welt.

<b>Brentwood 5013-32</b>	"X" back with button									
<b>Brentwood 5013-33</b>	contrast "X" back with contrast button									
	COM	2035	Grade J	2855	Leather V	4915	90	5	OH 34	AH
	COL	2310	Grade K	2915	Edel 1	4285			OW 52½	WBA
	Grade AA	2290	Grade L	2970	Edel 2	4535			OD 28½	DED
	Grade A	2365	Grade M	3025	Edel 3	4935			SH 18½	DEW
	Grade B	2425	Grade N	3105	Edel 4	5035			SD 20½	R
	Grade C	2490	Grade P	3180	Edel 5	5535				
	Grade D	2545	Grade Q	3245	Edel 6	5735				
	Grade E	2600	Leather I	3155	Edel 7	6335				Weight 82
	Grade F	2670	Leather II	3895	Edel 12	10235				
	Grade G	2725	Leather III	4065						
	Grade H	2800	Leather IV	4235						
(Content 2% post-consumer, 25% pre-consumer) GREENGUARD INDOOR AIR QUALITY CERTIFIED*										

Maple, armless, contrast fabric is left and right of "X", button also contrast; requires 3/4 yard or 18 sq. ft. leather, standard with welt.

<b>Brentwood 5014-30</b>	plain back									
	COM	2395	Grade J	3545	Leather V	6430	126	7	OH 34	AH
	COL	2750	Grade K	3625	Edel 1	5545			OW 74½	WBA
	Grade AA	2755	Grade L	3700	Edel 2	5895			OD 28½	DED
	Grade A	2855	Grade M	3780	Edel 3	6455			SH 18½	DEW
	Grade B	2940	Grade N	3895	Edel 4	6595			SD 20½	R
	Grade C	3035	Grade P	3995	Edel 5	7295				
	Grade D	3110	Grade Q	4090	Edel 6	7575				
	Grade E	3190	Leather I	3965	Edel 7	8415				Weight 109
	Grade F	3280	Leather II	5000	Edel 12	13875				
	Grade G	3360	Leather III	5240						
	Grade H	3470	Leather IV	5475						
(Content 2% post-consumer, 0% pre-consumer) GREENGUARD INDOOR AIR QUALITY CERTIFIED*										

Maple, armless, standard with welt.


<b>Brentwood 5014-32</b>	"X" back with button									
<b>Brentwood 5014-33</b>	contrast "X" back with contrast button									
	COM	2435	Grade J	3585	Leather V	6470	126	7	OH 34	AH
	COL	2790	Grade K	3665	Edel 1	5585			OW 74½	WBA
	Grade AA	2795	Grade L	3740	Edel 2	5935			OD 28½	DED
	Grade A	2895	Grade M	3820	Edel 3	6495			SH 18½	DEW
	Grade B	2980	Grade N	3935	Edel 4	6635			SD 20½	R
	Grade C	3075	Grade P	4035	Edel 5	7335				
	Grade D	3150	Grade Q	4130	Edel 6	7615				
	Grade E	3230	Leather I	4005	Edel 7	8455				Weight 109
	Grade F	3320	Leather II	5040	Edel 12	13915				
	Grade G	3400	Leather III	5280						
	Grade H	3510	Leather IV	5515						
(Content 2% post-consumer, 0% pre-consumer) GREENGUARD INDOOR AIR QUALITY CERTIFIED*										

Maple, armless, contrast fabric is left and right of "X", button also contrast; requires 1¼ yard or 27 sq. ft. leather, standard with welt.




# Brentwood Series


## Lounge Seating

	List Prices				Sq.Ft.	Yards	Dimensions					
<b>Brentwood 5015-30</b>	plain back											
	COM	1585	Grade J	2245	Leather V	3890	72	4	OH	34	AH	25
	COL	1815	Grade K	2285	Edel 1	3385			OW	25½	WBA	18
	Grade AA	1790	Grade L	2330	Edel 2	3585			OD	28½	DED	
	Grade A	1845	Grade M	2375	Edel 3	3905			SH	18½	DEW	
	Grade B	1895	Grade N	2445	Edel 4	3985			SD	20½	R	
	Grade C	1950	Grade P	2500	Edel 5	4385						Weight 58
	Grade D	1995	Grade Q	2555	Edel 6	4545						
	Grade E	2040	Leather I	2480	Edel 7	5025						
	Grade F	2090	Leather II	3075	Edel 12	8145						
	Grade G	2135	Leather III	3210								
Grade H	2200	Leather IV	3345									
(Content 1% post-consumer, 33% pre-consumer)												
GREENGUARD INDOOR AIR QUALITY CERTIFIED*												


Maple, with arms, standard with welt.

<b>Brentwood 5015-32</b>	"X" back with button											
<b>Brentwood 5015-33</b>	contrast "X" back with contrast button											
	COM	1585	Grade J	2245	Leather V	3890	72	4	OH	34	AH	25
	COL	1815	Grade K	2285	Edel 1	3385			OW	25½	WBA	18
	Grade AA	1790	Grade L	2330	Edel 2	3585			OD	28½	DED	
	Grade A	1845	Grade M	2375	Edel 3	3905			SH	18½	DEW	
	Grade B	1895	Grade N	2445	Edel 4	3985			SD	20½	R	
	Grade C	1950	Grade P	2500	Edel 5	4385						Weight 58
	Grade D	1995	Grade Q	2555	Edel 6	4545						
	Grade E	2040	Leather I	2480	Edel 7	5025						
	Grade F	2090	Leather II	3075	Edel 12	8145						
	Grade G	2135	Leather III	3210								
Grade H	2200	Leather IV	3345									
(Content 1% post-consumer, 33% pre-consumer)												
GREENGUARD INDOOR AIR QUALITY CERTIFIED*												

Maple, with arms, contrast fabric is left and right of "X", button also contrast; requires 3/4 yard or 18 sq. ft. leather, standard with welt.

<b>Brentwood 5016-30</b>	plain back											
	COM	2035	Grade J	3020	Leather V	5495	108	6	OH	34	AH	25
	COL	2350	Grade K	3090	Edel 1	4735			OW	52½	WBA	45
	Grade AA	2340	Grade L	3155	Edel 2	5035			OD	28½	DED	
	Grade A	2430	Grade M	3220	Edel 3	5515			SH	18½	DEW	
	Grade B	2500	Grade N	3320	Edel 4	5635			SD	20½	R	
	Grade C	2580	Grade P	3410	Edel 5	6235						Weight 86
	Grade D	2650	Grade Q	3490	Edel 6	6475						
	Grade E	2715	Leather I	3380	Edel 7	7195						
	Grade F	2795	Leather II	4270	Edel 12	11875						
	Grade G	2860	Leather III	4475								
Grade H	2955	Leather IV	4675									
(Content 1% post-consumer, 4% pre-consumer)												
GREENGUARD INDOOR AIR QUALITY CERTIFIED*												

Maple, with arms, standard with welt.


<b>Brentwood 5016-32</b>	"X" back with button											
<b>Brentwood 5016-33</b>	contrast "X" back with contrast button											
	COM	2085	Grade J	3070	Leather V	5545	108	6	OH	34	AH	24
	COL	2400	Grade K	3140	Edel 1	4785			OW	52½	WBA	45
	Grade AA	2390	Grade L	3205	Edel 2	5085			OD	28½	DED	
	Grade A	2480	Grade M	3270	Edel 3	5565			SH	18½	DEW	
	Grade B	2550	Grade N	3370	Edel 4	5685			SD	20½	R	
	Grade C	2630	Grade P	3460	Edel 5	6285						Weight 86
	Grade D	2700	Grade Q	3540	Edel 6	6525						
	Grade E	2765	Leather I	3430	Edel 7	7245						
	Grade F	2845	Leather II	4320	Edel 12	11925						
	Grade G	2910	Leather III	4525								
Grade H	3005	Leather IV	4725									
(Content 1% post-consumer, 4% pre-consumer)												
GREENGUARD INDOOR AIR QUALITY CERTIFIED*												

Maple, with arms, contrast fabric is left and right of "X", button also contrast; requires 3/4 yard or 18 sq. ft. leather, standard with welt.




# Brentwood Series

## Lounge Seating

	List Prices				Sq.Ft.	Yards	Dimensions					
<b>Brentwood 5017-30</b>	plain back											
	COM	2545	Grade J	3860	Leather V	7155	144	8	OH	34	AH	25
	COL	2940	Grade K	3950	Edel 1	6145			OW	74½	WBA	67
	Grade AA	2955	Grade L	4040	Edel 2	6545			OD	28½	DED	
	Grade A	3070	Grade M	4125	Edel 3	7185			SH	18½	DEW	
	Grade B	3165	Grade N	4260	Edel 4	7345			SD	20½	R	
	Grade C	3275	Grade P	4375	Edel 5	8145						
	Grade D	3365	Grade Q	4485	Edel 6	8465						
	Grade E	3450	Leather I	4335	Edel 7	9425						Weight 113
	Grade F	3560	Leather II	5525	Edel 12	15665						
	Grade G	3645	Leather III	5795								
	Grade H	3770	Leather IV	6065								

Maple, with arms, standard with welt.

(Content 2% post-consumer, 0% pre-consumer)  
**GREENGUARD INDOOR AIR QUALITY CERTIFIED\***

<b>Brentwood 5017-32</b>	"X" back with button											
<b>Brentwood 5017-33</b>	contrast "X" back with contrast button											
	COM	2615	Grade J	3930	Leather V	7225	144	8	OH	34	AH	25
	COL	3010	Grade K	4020	Edel 1	6215			OW	74½	WBA	67
	Grade AA	3025	Grade L	4110	Edel 2	6615			OD	28½	DED	
	Grade A	3140	Grade M	4195	Edel 3	7255			SH	18½	DEW	
	Grade B	3235	Grade N	4330	Edel 4	7415			SD	20½	R	
	Grade C	3345	Grade P	4445	Edel 5	8215						
	Grade D	3435	Grade Q	4555	Edel 6	8535						
	Grade E	3520	Leather I	4405	Edel 7	9495						Weight 133
	Grade F	3630	Leather II	5595	Edel 12	15735						
	Grade G	3715	Leather III	5865								
	Grade H	3840	Leather IV	6135								

Maple, with arms, contrast fabric is left and right of "X", button also contrast; requires 1¼ yard or 27 sq. ft. leather, standard with welt.  
 (See Brentwood side conference for additional Brentwood product.)

(Content 2% post-consumer, 0% pre-consumer)  
**GREENGUARD INDOOR AIR QUALITY CERTIFIED\***